

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

handasananannin karenna residente errega era personannia era casanana	Week ended—	Estimated population.	Total deaths from all causes.		Deaths from—										
Cities,				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Meaşles.	Whooping cough.	
Nagoya. Nantes. Paris. Do. Progreso Rangoon Saigon. Santa Cruz de Teneriffe. Singapore. Do. Stoke-on-Trent. Stockholm. Talcahuano. Do. Toronto. Do. Do. Do. Do. Do. Do. Do. Valencia. Vancouver. Winnipeg.	Nov. 11 Dec. 3 Nov. 25 Dec. 2 Dec. 9 Nov. 18 Nov. 5 Dec. 2 Oct. 28 Nov. 4 Dec. 9 Nov. 25 Dec. 2 Dec. 10 Dec. 1	417, 207 161, 908 2, 846, 986 6, 959 289, 432 206, 000 46, 000 303, 328 234, 553 343, 832 28, 000 392, 000 233, 925 240, 000 100, 333 151, 958	113 64 833 926 64 175 27 242 246 60 66 63 5 102 118 121 96 75 855 120 22 333	13 201 216 3 32 31 4 12 2 6 5 9 6	1 3	2 5 4		7		1 6 14	1 1 1 1 2	1 5 4 1 1 1 1 2 3 1 3	6 · · · · · · · · · · · · · · · · · · ·	1	

MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (untabulated).

ARGENTINA—Rosario.—Month of September, 1911. Population, 206,401. Total number of deaths from all causes 317, including diphtheria 4, measles 3, smallpox 37, tuberculosis 38, typhoid fever 5.

France—Calais.—Month of November, 1911. Population, 80,000. Total number of deaths from all causes 75, including measles 1, tuberculosis 17, typhoid fever 2.

GERMANY—Kehl.—Month of October, 1911. Population, 180,193. Total number of deaths from all causes 206, including diphtheria 6, scarlet fever 2, tuberculosis 32.

Great Britain.—Week ended November 25, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 14.2 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 18 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Sligo, viz, 4.7, and the highest at Newry, viz, 34.9 per 1,000 of the population.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 16.7 per 1,000 of the population, which is estimated

at 1,710,291. The lowest rate was recorded at Leith, viz, 10.3, and the highest at Aberdeen, viz, 18.8 per 1,000 of the population. The total number of deaths from all causes was 548, including diphtheria 7, measles 23, scarlet fever 7, typhoid fever 2, typhus fever 1. The death from typhus fever occurred in Glasgow.

SIAM—Bangkok.—Month of November, 1911. Population, 600,000. Total number of deaths from all causes not reported. The deaths include cholera 51, smallpox 71.

Spain—Almeria.—Month of November, 1911. Population, 50,910. Total number of deaths from all causes not reported. The deaths include diphtheria 2, tuberculosis 9, typhoid fever 1.

Tasmania—Hobart.—Month of October, 1911. Population, 191,211. Total number of deaths from all causes 145, including diphtheria 2, tuberculosis 13.

TURKS ISLANDS.—Three weeks ended December 9, 1911. Population, 1,681. Total number of deaths from all causes 4. No contagious diseases.

By authority of the Secretary of the Treasury:

A. H. GLENNAN, Acting Surgeon General, United States Public Health and Marine-Hospital Service.